

**AMENDMENTS TO CLAIMS:**

This listing of claims replaces all prior versions and listings of claims in the application:

1. (Currently Amended) ~~Supply A supply~~ unit for electric power and/or  
water derived from renewable ~~energies comprising energies, comprising:~~  
a box type profile ~~frame (1), characterized in that the box-frame;~~  
openable solar panels, forming a box, swivable into a plane of an upper side of  
5 the box so a sides in the plane of the upper side of the box form openable solar panels  
(6) and the cross-shaped arrangement of the solar panels, so formed, can panels is  
formed that may tilt about a horizontal axis on the profile frame; frame (1).  
wherein on its top side, as seen from above, a further square, box type frame is  
10 arranged, which contains a further solar panel and is connected to one top side of the  
box type profile frame so that the further solar panel may be swiveled about a horizontal  
axis;  
wherein on all sides of the square-at-top frame are connected, in a swiveling  
way, respective peripheral square frames each of same size and each containing a solar  
15 panel, so that a cube is formed from the five square frames when the five square frames  
are swiveled downwards, and that the peripherally connected square frames may be  
swiveled in the plane of the central square frame and can be locked against the central  
square frame in the swiveled condition;  
wherein the central square frame may be locked in each of its swiveled  
20 positions, and further, an openable vertical pole is arranged, on which a wind mill with  
blades, generator, and wind tail elements may be mounted and which may be similarly  
accommodated in the inside space of the box type profile frame; and  
wherein various modules, working as interfaces, are built in the inside of the  
box-type profile frame so that the supply unit offers, in accordance with the varying  
25 need, a choice of at least one of:  
accumulation of electrical energy from sunlight;

30

accumulation of electrical energy from a separate wind generator;  
pumping water from stationary, flowing stretch of water or ground  
water;  
treatment of drinking water through purification of supplied dirty water;  
delivery of electric power for different consumers; and  
direct current generation with hydrogen by means of fuel cells and vice  
versa hydrogen/oxygen production by splitting water with Direct Current.

2. (Cancelled)

3. (Currently Amended) ~~Supply~~ The supply unit for electric power and/or water derived from renewable energies according to ~~any of the preceding Claims,~~ characterized in that to claim 1, wherein:

5 a base of the box type profile frame stands on wheels; (1) with its base side  
stands on wheels (2) and on its top side (3), as seen from above, a further square, box  
type frame (16) is arranged, which contains a solar panel (7) and is connected to one top  
side of the box type profile frame (1) in such a way that it can be swiveled about a  
horizontal axis (8), wherein on all sides of this square at top frame (16), a peripheral  
square frame (5) each of same size, each containing a solar panel (6), is connected in a  
10 swiveling way, so that a cube is formed from the five square frames (16;5) when these  
are swiveled downwards, and that the peripherally connected square frame (5) can be  
swiveled in the plane of the central square frame (16) and can be locked against the  
central square frame (16) in this swiveled condition, that the central square frame (16)  
can be locked in each of its swiveled position, further that

15 in the inside space of the box type profile frame 1, on whose frame, on whose  
one side a telescopic side the telescopic pole, pole or a pole, built from several segments  
or an openable vertical pole (10) is pole is arranged, on which the windmill with the  
blades, the generator, and the wind tail elements may be a wind mill (11) with blades  
(12), generator (17) and wind tail elements (15) can be mounted and which can be may

20 | be similarly accommodated in the inside space of the box type profile ~~frame 1, and that~~  
| frame;

| the box type profile ~~frame 1 has several~~ frame has the plurality of box type  
| ~~modules (24-26), which can be~~ modules, which may be inserted drawer like from one  
| side and ~~can be may be~~ locked in the inserted ~~position, wherein position;~~

25 | one ~~of them of the modules~~ contains at least an inverter/rectifier (68) with  
| battery (67) ~~or with a battery or a direct current-hydrogen generator with fuel cells and~~  
| the electronic control ~~unit (69) for unit for~~ all the electronic components, one more of  
| the electronic components containing ~~contains~~ the wind mill blades, the generator with  
| wind hub, and the wind tail element, and blades (12), the generator (17) with wind mill  
30 | hub (13) and wind tail element (15), and one more contains a water pump (41) and  
| filtering device (47) with pump and filtering device with connections for supply and  
| delivery of water.

4. (Currently Amended) ~~Supply~~ The supply unit for electric power and  
water derived from renewable energies according to ~~any of the preceding Claims,~~  
~~characterized in that claim 1, wherein;~~

5 | a cube shaped box is formed when the ~~with the~~ swiveled down central, square  
| solar panel frame, which is on the top ~~frame (16), which is on top~~ side of the box type  
| lower profile ~~frame 1 and with frame, and when the profile frame 5, which frame, which~~  
| is connected to the ~~former and is former, is~~ folded down at right angle to the same, the  
| ~~same, a cube shaped box is formed.~~

5.-10. (Cancelled)